

THE
SHUR
GROUP

3M

DBI
SALA

PROTECTA

Fall Protection



THE SHUR GROUP




In 1992, Craig Shur packed up his life in Florida and headed to Colorado with a vision—to build a Rep Group that truly understood the needs of end users. Partnering early on with DB Industries, he laid the foundation for what would become a thriving business. Over the years, Shur-Sales grew steadily, expanding into the Midwest in 2016 with 3M Fall Protection as a key partner. On July 2, 2022, we proudly celebrated 30 years of dedication, growth, and lasting relationships.



Today, The Shur Group continues that legacy. While the name has evolved, our commitment remains the same—building strong relationships, delivering innovative solutions, and providing industry-leading training. Guided by safety, expertise, and integrity, we are dedicated to being the trusted partner that end users and distributors rely on. For us, it's not just business; it's a responsibility to those we serve, now and for the future.



HANDS ON, REAL WORLD SAFETY TRAINING



The Shur Group offers a full range of safety training courses, including fall protection, confined space, and other safety related trainings. We provide on-site safety training tailored to meet the unique needs of your facility or job site. No matter the location, you can trust The Shur Group to deliver world-class safety training and resources, guided by our commitment to safety, expertise, and integrity.



CONTENTS

- 04 Harnesses
- 09 Anchors
- 11 Flexiguard
- 12 Horizontal Lifelines
- 14 Ladder Safety
- 14 Lanyards & SRLs
- 16 Confined Space
- 17 Rescue
- 18 Protecta
- 20 Fall Protection for Tools






HARNESSES

3M™ DBI-SALA® ExoFit™

X100, X200, X300 Full Body Harness Sizing Chart



Scan to Download
X100, X200, X300 sizing chart



Scan to Download
X-Style sizing chart



Scan to Download
Protecta sizing chart



3M™ DBI-SALA® ExoFit™ X100

3M™ DBI-SALA® ExoFit™ X100 Vest Safety Harness Quick Connect Legs and Chest



PART NUMBER	SIZE
1401020	Small
1401021	Medium
1401022	Large
1401023	X-Large
1401024	XX-Large

Scan to learn more about
the 3M™ DBI-SALA®
ExoFit™ X100



3M™ DBI-SALA® ExoFit™ X100 Iron Work Construction Positioning Harness Tongue Buckle Legs, Quick Connect Chest



PART NUMBER	SIZE
1401174	Small
1401175	Medium
1401176	Large
1401177	X-Large
1401178	XX-Large

3M™ DBI-SALA® ExoFit™ X100 Comfort Vest Climbing/Positioning Safety Harness Quick Connect Chest and Leg Buckles, Front, Back, and Side D-Rings



PART NUMBER	SIZE
1401035	Small
1401036	Medium
1401037	Large
1401038	X-Large
1401039	XX-Large

3M™ DBI-SALA® ExoFit™ X100 Construction Positioning Safety Harness Tongue Buckle Legs, Quick Connect Chest, Weight Distribution



PART NUMBER	SIZE
1401120	Small
1401121	Medium
1401122	Large
1401123	X-Large
1401124	XX-Large



General Industry



Construction



Construction
Weight Distribution



Oil and Gas



Telecommunications

3M™ DBI-SALA® ExoFit™ X200

3M™ DBI-SALA® ExoFit™ X200 Vest Safety Harness

Quick Connect Legs & Chest | Single D-Ring



PART NUMBER	SIZE
1402020	Small
1402021	Medium
1402022	Large
1402023	X-Large
1402024	XX-Large

Scan to learn more about the 3M™ DBI-SALA® ExoFit™ X200



3M™ DBI-SALA® ExoFit™ X200 Construction Positioning Safety Harness

Tongue Buckle Legs and Quick Connect Chest



PART NUMBER	SIZE
1402081	X-Small
1402082	Small
1402083	Medium
1402084	Large
1402085	X-Large
1402086	XX-Large



General Industry



Construction



Wind Energy



Oil and Gas




Telecommunications

Resources

How to Don the 3M™ DBI-SALA® ExoFit™ Safety Harnesses

When putting on a safety harness, position the sub-pelvic straps under the buttocks, keep leg straps flat and buckled snugly, tighten the chest strap below the shoulder, and align the dorsal D-Ring with the spine, 6 inches between the shoulder blades.

Scan for watch the video



Watch the video for tips for maintenance and inspection: Keep your equipment in top condition by checking each component yourself before use, and have it inspected annually by a Competent Person.

Scan for watch the video



3M™ DBI-SALA® ExoFit™ X300

3M™ DBI-SALA® ExoFit NEX™ X300 Comfort Vest Safety Harness Quick Connect Buckles | Single D-Ring



Scan to learn more about
the 3M™ DBI-SALA®
ExoFit™ X300



PART NUMBER	SIZE
1113000	X-Small
1113001	Small
1113004	Medium
1113007	Large
1113010	X-Large
1113013	XX-Large
1113014	XXX-Large

3M™ DBI-SALA® ExoFit NEX™ X300 Vest Climbing/Positioning Safety Harness Front, Back, Side D-Rings



PART NUMBER	SIZE
1113075	X-Small
1113076	Small
1113079	Medium
1113082	Large
1113085	X-Large
1113088	XX-Large
1113083	XXX-Large

3M™ DBI-SALA® ExoFit™ X300 Construction Positioning Safety Harness Quick Connect Chest and Legs, Back, and Side D-Rings



PART NUMBER	SIZE
1113120	X-Small
1113121	Small
1113124	Medium
1113127	Large
1113130	X-Large
1113133	XX-Large
1113129	XXX-Large

3M™ DBI-SALA® ExoFit™ X300 X-Style Vest Safety Harness Quick Connect Buckles and Horizontal Leg Straps



PART NUMBER	SIZE
1403237	XXXS/XXS
1403198	XS/S
1403199	M/L
1403200	XL/2XL

3M™ DBI-SALA® ExoFit™ X300 X-Style Positioning Construction Safety Harness Belt, Side D-Rings, Quick Connect Buckles



PART NUMBER	SIZE
1403240	XXXS/XXS
1403207	XS/S
1403208	M/L
1403209	XL/2XL



General Industry



Construction



Construction
Weight Distribution



Wind Energy



Telecommunications

ExoFit Strata and ExoFit NEX Arc Flash Harnesses

3M™ DBI-SALA® ExoFit™ STRATA™ Comfort Vest Harness With Revolver Adjustments



PART NUMBER	SIZE
1112475	S
1112476	M
1112477	L
1112478	XL
1112479	XXL



Scan to download the STRATA™ PDF

3M™ DBI-SALA® ExoFit™ STRATA™ Construction Positioning Harness With Revolver Chest, Tongue Buckle Legs, and Weight Distribution System



PART NUMBER	SIZE
1114355	S
1114356	M
1114357	L
1114358	XL
1114359	XXL



Scan to download the STRATA™ PDF

3M™ DBI-SALA® ExoFit NEX™ Comfort Arc Flash/FR Vest Safety Harness Quick Connect Buckles



PART NUMBER	SIZE
1103085	Small
1103086	Medium
1103087	Large
1103088	X-Large
1103089	XX-Large

3M™ DBI-SALA® EZ-Stop™ F2 Arc Flash Adjustable Web Shock-Absorbing Lanyard, Kevlar® Fiber, 6 ft



1246317



1246457



3M™ DBI-SALA® EZ-Stop™ F2 Arc Flash Web Shock-Absorbing Lanyard, Kevlar® Fiber, 4 ft



3100568

3M™ DBI-SALA® Nano-Lok™ Hot Work Twin-Leg Personal SRL Kevlar® Fiber Web, 6 ft

3M™ DBI-SALA® Nano-Lok™ Arc Flash TwinLeg Personal SRL Kevlar® Fiber Web, 8 ft

3100585



3M™ DBI-SALA® Nano-Lok™ Arc Flash Personal SRL, Kevlar® Fiber Web, 8 ft

3100573

Universal Harnesses



3M™ DBI-SALA® Delta™ Vest-Style Universal Pass Through Chest, Tongue Buckle Legs

PART NUMBER	SIZE
1102000	Universal



3M™ DBI-SALA® ExoFit™ X100 Comfort Vest Safety Harness Universal Pass Through Chest, Tongue Buckle Legs

PART NUMBER	SIZE
1401171	Universal



ANCHORS

General Anchorage Connectors

3M™ DBI-SALA® Pass-Thru Cable Tie-Off Adapter Anchor

- 5900550 4' Cable Choker
- 5900551 6' Cable Choker



- ### 3M™ DBI-SALA® Web Tie-Off Adaptor
- 1003000 3' Anchor Strap
 - 1003006 6' Anchor Strap
 - 1002010 10' Anchor Strap



- ### 3M™ DBI-SALA® Web Scaffold Choker
- 1201390 17" Scaffold Choker

Steel Anchorage Connectors

3M™ DBI-SALA® Sliding Beam Anchor

3.5"-14"



2104710

3M™ DBI-SALA® Fixed Beam Anchor

2.5"-12"



2108406

3M™ DBI-SALA® D-ring with Anchorage Plate



Cadmium Plated
2101630



Stainless Steel
2101636

Concrete Anchorage Connectors

3M™ DBI-SALA® Concrete D-ring Anchor



2104560

3M™ DBI-SALA® Pass-Thru Web Concrete Strap Anchor with D-Ring

- 2100050 Pour in Place 42"
- 2100052 Pour in Place 8'




3M™ DBI-SALA® 10-pack of Replacement Bolts for Concrete D-Ring Anchor

2100222




3M™ DBI-SALA® Concrete Parapet Anchor

8523178



Remote Anchoring System

**3M™ DBI-SALA®
Window and Door
Jamb Anchor**



2100080



**3M™ DBI-SALA®
Perimeter Limiter
Leading Edge Anchor**

2100090

Roof Anchorage Connectors

**3M™ DBI-SALA®
Reusable Heavy-Duty
Roof Anchor**



2103673

**3M™ DBI-SALA®
Permanent Roof
Anchor with
Flashing and Cap**



2103670

**3M™ Protecta®
Reusable Hinged
Roof Anchor for
Wood/Metal, with
Fastener Kit**



2104000

**3M™ DBI-SALA® Roof Top Anchors
For Metal, Concrete, & Wood Roofs**



2100133



2100138

**3M™ DBI-SALA®
Roof Top Freestanding
Counterweight Anchor**



2100185

Resources

OSHA Regulatory Update:

Final Rule on Walking-Working
Surfaces & Fall Protection PPE

Scan for watch the video



Scan to download PDF



Walking-Working Surfaces Compliance: 3M Fall Protection provides comprehensive fall safety solutions for various settings like rooftops and ladder cages, ensuring adherence to OSHA's 29 CFR 1910.30 standards. Discover more about these regulations by watching our video.

Anchorage strength requirements are dependent on each type of application. Scan the QR code to download the anchorage strength requirements for specific applications.




Scan to download the Flexiguard Modular Jib System Catalog



FLEXIGUARD


M100 Modular Jib System



Adjustable Height, Single User Masts

- 8530874 10–15 ft. (3–4.6 m)
- 8530875 12.5–20 ft. (3.8–6.1 m)
- 8530876 15–25 ft. (4.6–7.6 m)
- 8530877 20–30 ft. (5.3–9.1 m)

Adjustable height masts are adjusted easily using the integrated hand crank winch, or by using a power drill with the optional overload clutch accessory equipped.



Semi-Fixed Height, Single User Masts

- 8530882 15–20 ft. (4.6–6 m)
- 8530883 20–25 ft. (6–7.6 m)
- 8530884 25–30 ft. (7.6–9.1 m)

Semi-fixed masts offer a small amount (5 ft. or 1.5 m) of adjustment to optimize the anchor height during installation.




Portable Counterweight Base

- 8530870 With concrete fill
- 8530869 Without concrete



Floor Mounted Base

8530871



Flush Mounted Base

8530872




Outrigger Base

8530873


Please see M100 Flexiguard Modular Jib System Catalog for additional accessories.

M200 Modular Jib System



Semi-Fixed Height, Single User Masts

- 8530899 15–20 ft. (4.6–6 m)
- 8530900 20–25 ft. (6–7.6 m)
- 8530901 25–30 ft. (7.6–9.1 m)



Semi-Fixed Height, Single User Masts

- 8530902 15–20 ft. (4.6–6 m)
- 8530903 20–25 ft. (6–7.6 m)
- 8530904 25–30 ft. (7.6–9.1 m)

Portable Counterweight Base



- 8530887 With concrete fill
- 8530886 Without concrete

Two user masts also available. Please see M100 and M200 Flexiguard Modular Jib System Catalog for additional solutions and accessories.



HORIZONTAL LIFELINES

Stanchions



**3M™ DBI-SALA®
SecuraSpan™
I-Beam HLL
Stanchion with
Base**
7400047



7400008
**3M™ DBI-SALA®
Temporary I-Beam HLL
Stanchion Intermedia Bracket**



**3M™ DBI-SALA®
SecuraSpan™
Rebar/Shear Stud
HLL Stanchion with Base**
7400215




**3M™ DBI-SALA®
SecuraSpan™
Perpendicular I-Beam
HLL Stanchion
with Base**
7400087



**3M™ DBI-SALA®
SecuraSpan™
Rebar/Shear Stud
HLL Tie-Back
Base with
Chain**
7400214

Temporary HLL Systems



**3M™ DBI-SALA®
EZ-Line™ Retractable
Horizontal Lifeline System**
7605060

Scan to download User Instruction



**3M™ DBI-SALA®
Horizontal Lifeline
Cable Assembly,
Single Span, 60 ft**



7403060
Last three digits of part
number indicates length

Scan to download User Instruction



**3M™ DBI-SALA®
Temporary Cable
Horizontal Lifeline
System 60 Ft.**



7602060
Last three digits of part
number indicates length

Scan to download User Instruction



**3M™ DBI-SALA®
Metal Horizontal Lifeline
Energy Absorber**



7401013

**3M™ DBI-SALA®
Metal Horizontal Lifeline Energy
Absorber with Hardware Kit,
2 Shackles,
Turnbuckle**



7401032

SecuraSpan Post HLL System

**3M™ DBI-SALA®
SecuraSpan™
Pour-in-Place/
Fasten-in-Place
HLL Stanchion**
7400203



**3M™ DBI-SALA®
Temp Pour/
Fasten-in-Place
Horizontal Lifeline
Intermediate Bracket**
7400200




**3M™ DBI-SALA®
SecuraSpan™
Fasten-in-Place
HLL Clamp-on
Vertical Base**
7400211



**3M™ DBI-SALA®
SecuraSpan™
Pour-in-Place HLL
Concrete Sleeve**
7400201



**3M™ DBI-SALA®
SecuraSpan™
Fasten-in-Place
HLL Bolt-on
Vertical Base**
7400218



**3M™ DBI-SALA®
SecuraSpan™
Fasten-in-Place
HLL Bolt-on
Floor Base**
8530267



LADDER SAFETY



**3M™ DBI-SALA®
Lad-Saf™ Cable
Vertical Safety System,
Galvanized Steel, 50 FT
6118050**

Last three digits of part number indicates length.
Cable guides as needed (recommended every 20-40 feet).

**3M™ DBI-SALA®
Fixed Ladder Anchor For
Self-Retracting Lifeline,**

Galvanized 6100562	4ft
Stainless Steel 6100563	4ft
Galvanized 6100564	6ft
Stainless Steel 6100565	6ft



Scan to download the
3M™ DBI-SALA® Lad-Saf™
Flexible Cable Vertical Safety
Systems Brochure



**3M™ DBI-SALA® Lad-Saf™
X3 Detachable Cable Sleeve,
9.5MM**

6160054



LANYARDS & SELF RETRACTING LIFELINES

Lanyards

**3M™ DBI-SALA® ShockWave™2
Shock Absorbing Lanyard**



1244306



1244321

**3M™ DBI-SALA® ShockWave™2 100%
Tie-Off Shock Absorbing Lanyard**



1244406



1244412

ANSI Class 1 SRLs

3M™ DBI-SALA® Nano-Lok™ Personal SRL, Web Steel Swivel Snap Hook, 6 ft., Class 1, ANSI
3100535

3M™ DBI-SALA® Nano-Lok™ Personal Twin-Leg SRL, Web Steel Rebar Hook, 6 ft., Class 1, ANSI
3100551

3M™ DBI-SALA® Sealed-Blok™ SRL, Stainless Steel Cable

3400131	15'
3400133	30'
3400135	50'
3400169	85'
3400172	130'
3400173	175'

OSHA ONLY

3M™ DBI-SALA® Nano-Lok™ Extended Length SRL with Anchor Hook, Web, 11 ft
3100596

3M™ DBI-SALA® Nano-Lok™ Personal SRL Web Aluminum Rebar Hook, 6 ft., Class 1, ANSI
3100538

3M™ DBI-SALA® Smart Lock SRL, Galvanized Cable

3503872	20'
3503874	30'
3503878	50'

ANSI Class 2 SRLs

3M™ DBI-SALA® Smart Lock Edge SRL, Galvanized Cable, Steel Swivel Snap Hook, Class 2

3503880	20'
3503881	30'

3M™ DBI-SALA® Smart Lock Edge Modular SRL, Galvanized Cable, Steel Swivel Snap Hook, Class 2

3503850	20'
3503890	30'

3M™ DBI-SALA® Nano-Lok™ edge Tie-Back Personal SRL, Galvanized Cable, 9 ft

3500297	Single Leg
3500287	Twin Leg

Scan to download the Class 2 SRL Catalog



3M™ DBI-SALA® Nano-Lok™ edge Personal SRL, Galvanized Cable, 7.3 ft

3500292	Single Leg
3500278	Twin Leg

3M™ DBI-SALA® Nano-Lok™ edge Twin-Leg Personal SRL, Galvanized Cable, 8 ft

3500290	Single Leg
3500276	Twin Leg

3M™ DBI-SALA® Nano-Lok™ edge Personal SRL, Galvanized Cable, 8 ft

3500288	Single Leg
3500279	Twin Leg


with Swivel Snap Hook

3500293	Single Leg
3500282	Twin Leg

ANSI/ASSP Z359.14-2021 Updates

The ANSI/ASSP Z359.14-2021 standard classifies SRL units by anchor point locations: **Class 1** units are for anchorages at or above the dorsal D-ring, with a max free fall of 2 feet (0.6 m). **Class 2** units can be used with anchorages above or below the dorsal D-ring, allowing a max free fall of 6 feet (1.8 m).

Scan to download the 3M Fall Protection ANSI Class 1 & 2 Personal SRLs PDF



Davits and Tripods



CONFINED SPACE



8518000 37"-64"
8518040 70"-97"



8518001 11.5"-27.5"
8518006 23.5"-42.5"



8301076
3M™ DBI-SALA® Confined Space Aluminum Tripod with Winch and 3-Way SRL 60 ft (Winch), 50 ft (SRL)



3M™ DBI-SALA® Aluminium Tripod
8000140 5'-7"
8000141 7'-9"

Scan to download the Confined Space Catalog



3M™ DBI-SALA® Lower Mast Extension 33"
8518002

Bases and Accessories

3M™ DBI-SALA® Integrated Vehicle Hitch Mount Sleeve For Offset Davit Mast



8510140 27.5"
8514461 42.5"



3M™ DBI-SALA® Pole Hoist System
8530252 4'-7"
8530253 6'-10"

3M™ DBI-SALA® Integrated Forklift Basket Davit Mast Base



8510568

3M™ DBI-SALA® Sealed-Blok™ SRL, Retrieval w/ Bracket, Stainless Steel Cable



3400145 30'
3400150 50'
3400168 85'
3400171 130'



3M™ DBI-SALA® Permanent Wall Mount Sleeve Davit Mast Base, Zinc Plated Steel
8516191



3M™ DBI-SALA® Overload Clutch
8512936

3M™ DBI-SALA® Ultra-Lok™ 3-Way Retrieval SRL with Bracket, Galvanized, 50 ft



3503886



3M™ DBI-SALA® Floor Mount Sleeve Davit Base
8516190

3M™ DBI-SALA® Salalift™ II Winch, Galvanized



8102001 60'
8102009 90'
8102005 120'




3M™ DBI-SALA® Winch, Power Drive Plated Steel

8518567 60'
8518568 90'
8518588 140'
8518589 190'



3M™ DBI-SALA® Winch/SRL Mounting Bracket For Davit Mast
8549915



3M™ DBI-SALA® Confined Space Tripod Mounting Base Bracket For Winch/SRL
8005048



3M™ DBI-SALA® Confined Space Tripod Leg Pulley Fits Up To 1/4" Lifeline
8003238



3M™ DBI-SALA®
Rollgliss™ Sloped High
Speed Automatic
Descender with Hardware
Kit, Galvanized Steel
Cable/Hook, 200 ft
 3303015



3M™ DBI-SALA®
Rollgliss™ R550
Rescue and Descent
Device System with
Rescue Wheel

- 3327050 50'
- 3327100 100'
- 3327200 200'
- 3327300 300'




3M™ DBI-SALA®
Rollgliss™ R550
Rescue and Descent
Device System

3325100 100'



3M™ DBI-SALA®
Rollgliss™
Rescue Pole
4 ft. to 16 ft.

8900298



RESCUE



3M™ DBI-SALA®
Self-Rescue Kit,
50 ft, Rope

3320051
 3320053 Trainer



3M™ DBI-SALA®
Self-Rescue Kit,
100 ft, Rope

3320052

3M™ DBI-SALA®
Ultra-Lok™ RSQ SRL,
Galvanized Cable,
50 ft

3503888



Scan to Download PDF





**3M™ Protecta®
Sliding Beam
Anchor**



2104703

**3M™ Protecta®
Reusable Hinged
Roof Anchor for
Wood/Metal, with
Fastener Kit**



2104000

**3M™ Protecta®
Swiveling Chain
Rebar/Positioning
Lanyard, 2 ft**



1350150

**3M™ Protecta®
Pro™ Concrete
Anchor Strap,
25 ea/Pack**



2190057 42"
2190058 48"

PROTECTA

**3M™ PROTECTA®
Dual-ring Tie-Off Adaptor**



2190100 3'
2190101 4'

**3M™ Protecta®
Pass-Thru Web
Tie-Off Adapter
Anchor, Polyester**



5900577 3'
5900578 6'

**3M™ Protecta®
Rope Adjuster
with Lanyard**



1340005

**3M™ Protecta®
SRL w/ Carabiner,
Web, Swivel Snap
Hook, 11ft**



3100514

**3M™ Protecta®
Edge SRL Galvanized
Cable, Steel Swivel
Snap Hook, Class 2, ANSI**



3590046 20'
3590047 33'
3590048 50'
3590049 66'

**3M™ Protecta®
SRL, Galvanized Cable,
Steel Swivel Snap Hook,
Class 1, ANSI**



3590034 20'
3590036 33'
3590038 50'
3590040 66'
3590042 85'
3590044 100'

**3M™ DBI-SALA®
Rope Lifeline with
Snap Hook**



1202754 30'
1202794 50'
1202844 100'

**3M™ Protecta®
Vest-Style
Harness
with Quick
Connect Buckles**



**PART
NUMBER SIZE**
1161541M S
1161542M M/L
1161543M XL
1161544M XXL
1161545M XXXL

**3M™ Protecta®
P200 Comfort Vest
Safety Harness
with Quick Connect
Buckles**



**PART
NUMBER SIZE**
1161426 S
1161427M M/L
1161428M XL

**3M™ Protecta® P200
Comfort Construction
Positioning Safety
Harness with Quick
Connect Chest and
Tongue Buckle Legs**



**PART
NUMBER SIZE**
1161216 S
1161217M M/L
1161218 XL
1161219 XXL

Protecta Personal Connectors

3M™ Protecta® Stretch Web Shock-Absorbing Lanyard



PART NUMBER	LENGTH	LEGS	HOOK 1	HOOK 2	HOOK 3
1340101	6'	Single	Snap	Snap	-
1340141	6'	Twin	Snap	Snap	Snap
1340121	6'	Single	Snap	Rebar	-
1340161	6'	Twin	Snap	Rebar	Rebar

3M™ Protecta® Adjustable Web Shock-Absorbing Lanyard



1341050 6'

3M™ Protecta® Web Positioning Lanyard



1385102 3'

3M™ Protecta® Adjustable Webbing Position Lanyard



1385301 6'



3M™ Protecta® Twin-Leg SRL Lifeline w/Carabiner, Web, Steel Rebar Hooks, 6ft
3100512



The Shur Group proudly presents a range of hands-on, educational training sessions. Many of these can be held on-site for our valued customers, and can be customized to meet their specific objectives. Thank you to our partnering manufacturers for participating in our Drive to Educate Series.

COMPLIMENTARY FALL PROTECTION CLASSES

3M DBI-Sala Fall Protection Truck Demonstration (1 hour)
This is an introductory or refresher course. Participants will learn about proper anchorage, harness usage, and safety. Topics include: anchors and rescue. The course also covers pertinent OSHA and ANSI standards and features a live safety demonstration to showcase the impact of a fall.

Temporary HLL Systems Awareness (2 hours)
This course delves into the specifics of temporary job-erected hoisting/lifting. As required by OSHA 1926.502(d), covering their duties, responsibilities, and safety. Participants will receive the OSHA technical aspects of these safety systems, understanding their operational guidelines.

All Things SRLs (2 hours)
This course will delve into both OSHA and ANSI standards associated with SRLs. We'll provide an in-depth analysis of Clearance Plans, Machine Protection, and effectively implement them. We will discuss specific details of clearance focusing on commonly affected applications, including ROPS.

TUITION-BASED FALL PROTECTION CLASSES - PARTICIPANTS RECEIVE CERTIFICATION

3M Fall Protection Equipment Inspector (4 hours)
Per ANSI, fall protection requires inspections (perennial for contractors) by a "Competent Person" with fall rescue capabilities. This course provides the inspection process. Participants receive a certificate of completion. The course is renewable every two years. Fee: \$200/participant.

Authorized Person Essentials (4 hours)
This course educates workers on fall protection principles and essential equipment, aiming to reduce fall-related incidents. It includes fall rescue and specific features, including rescue procedures available for those working at heights. Participants receive a certificate of completion. Fee: \$200/participant.

3M Competent Person Course (2 days)
Competent Persons are experts in inspecting and analyzing fall protection risks and can address them readily. This course covers principles and procedures for fall protection program management. Fee: \$875/participant. Additional details if this course offered for custom standards and/or fee: \$400/participant.

COMPLIMENTARY SAFETY CLASSES

Confined Space Awareness (2 hours)
This class delves into OSHA guidelines on gas detection, ventilation, communication, rescue and retrieval, as well as respiratory protection in "Immediately Dangerous to Life or Health" (IDLH) environments.

THE SHUR GROUP, LLC | (303) 789-5696 | www.theshurgroup.com

The Shur Group provides comprehensive safety training designed to meet the specific challenges of your facility or job site. Our expertise covers essential areas such as fall protection, confined space entry, and a range of other critical safety topics. We bring training directly to you, ensuring hands-on, practical instruction that aligns with your team's real-world needs. Backed by a commitment to safety, expertise, and integrity, The Shur Group equips workers with the knowledge and resources to stay safe on the job. Scan the QR code to explore our available classes and connect with The Shur Group to schedule your training session.



Armorgard SB48 Safety Cabinet for fall protection, safety wear, and more!




Cabinet 60" x 24.5" x 60.5"

Scan to learn more about Armorgard



SBC-HK1 Fall Arrest Hook Kit makes it easy to hang and organize fall protection and safety wear.



The above image includes the following items:

P/N	Description
SB48	Site Cabinet
SBC-HK1	Fall Arrest Hook Kit
CAS160HD-KS-SW-SB-CP	Caster Kit (optional)



FALL PROTECTION FOR TOOLS



Scan to download the Fall Protection for Tools Catalog

3M™ DBI-SALA® D-Ring Attachment 10 EA/Pack



1500003 small



1500007 large



3M™ DBI-SALA® Safe Bucket

1500134 Canvas 100lbs
1500140 Vinyl 250lbs



3M™ DBI-SALA® Hook2Loop Bungee Tool Tether

1500047 - 1 each
1500048 - 10 pack



3M™ DBI-SALA® Hook2Hook Tether w/Swivel

1500159 - 1 each
1500160 - 10 pack




3M™ DBI-SALA® Hard Hat Tether 10 EA/PACK

1500178



3M™ DBI-SALA® Harness Adaptor

1500161



3M™ DBI-SALA® Quick Wrap Tape II, Blue 1"x108", 10/PAC

1500169




3M™ DBI-SALA® Adjustable Radio/Cell Phone Holster

1500089



CONNECT WITH OUR TEAM

Supporting the Rocky Mountain and Midwestern Territories



CASEY DREUX
CO | E. WY | E. MT
(720) 626-6508
casey@theshurgroup.com

MATT TRUE
NE | W. IA
(308) 631-9355
matt2@theshurgroup.com

BRANDON SCHMIDT
ID | W. MT | N. NV
(801) 885-0541
brandon@theshurgroup.com

EMERY MCREYNOLDS
KS | W. MO
(620) 778-9808
emery@theshurgroup.com

LANCE WILLIAMSON
UT | S. ID
(801) 243-1671
lance@theshurgroup.com

MICHAEL HAKE
IA
(515) 505-4265
michael@theshurgroup.com

MATT SCHMIDT
CO | NM
(720) 291-9161
matt1@theshurgroup.com

BO SOLARI
E. MO | S. IL
(712) 253-2280
bo@theshurgroup.com

SCOTT THISTLETHWAITE
INSIDE SALES MANAGER
(303) 789-5696
scott@theshurgroup.com

BRITTEE DUNN
MARKETING TECHNOLOGIST
(303) 549-8878
brittlee@theshurgroup.com